

IN THE CLAIMS:

1. (Currently Amended) A process for producing flexible polyurethane foams comprising reacting isocyanates with compounds which are reactive toward isocyanates in the presence of blowing agents and in the presence or absence of catalysts, additives and/or auxiliaries, wherein the reaction is carried out in the presence of at least one compound (i) selected from the group consisting of acrylic acid, crotonic acid, isocrotonic acid, sorbic acid, cinnamic acid, hydroxyethyl acrylate, 3-(acryloyl-oxy)-2-hydroxypropyl methacrylate, benzyl cinnamate, trans-3-nonen-2-one, benzalacetone, dibenzalacetone, benzalacetophenone, 1-methylbenzalacetophenone, crotonaldehyde, cinnamaldehyde, methyl vinyl ketone [[and]], an α,β -unsaturated polyester diol prepared by polycondensation of maleic acid, fumaric acid, methacrylic acid or acrylic acid with oligomeric diols having a molecular weight factor per double bond of from 150 to 3000, a functionality of from 2 to 6, a hydroxyl number of from 20 to 800 and an acid number of from 0 to 15, and combinations thereof wherein the produced polyurethane foam is a flexible polyurethane foam.

Claims 2-3 (Cancelled).

4. (Currently Amended) A process as claimed in claim 1, wherein compound (i) is used in an amount of from 0.01 to 20% by weight, based on the weight of the flexible polyurethane foam.

5. (Cancelled)

6. (Currently Amended) A flexible polyurethane foam comprising products of the reaction of primary and/or secondary amines with at least one compound selected from the group consisting of: acrylic acid, crotonic acid, isocrotonic acid, sorbic acid, cinnamic acid, hydroxyethyl acrylate, 3-(acryloyl-oxy)-2-hydroxypropyl methacrylate, benzyl cinnamate,

trans-3-nonen-2-one, benzalacetone, dibenzalacetone, benzalacetophenone, 1-methylbenzalacetophenone, crotonaldehyde, cinnamaldehyde, methyl vinyl ketone [[and]], an α,β -unsaturated polyester diol prepared by polycondensation of maleic acid, methacrylic acid or acrylic acid with oligomeric diols having a molecular weight factor per double bond of from 150 to 3000, a functionality of from 2 to 6, a hydroxyl number of from 20 to 800 and an acid number of from 0 to 15, and combinations thereof; wherein the polyurethane foam is a flexible polyurethane foam.